

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> OUR LADY OF PERPETUAL HOPS BREWERY	<b>Telephone Number</b> Est 502-379-0416 Own 502-379-0416	<b>Date of Inspection</b> 09/25/2020	<b>ID#</b>
<b>Address</b> 300 FOUNDATION CT, NEW ALBANY IN 47150			
<b>Owner</b> GREG WORTHAM	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 10/05/2020
<b>Owner's Address</b> 4028 MARQUETTE DRIVE FLOYDS KNOBS, IN 47119		<b>Menu Type</b> 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
<b>Person in Charge</b> CHANDLER CISSEL			
<b>Responsible Person's Email</b>			
<b>Certified Food Handler</b>			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
218		X		Observed heavy ice build-up on walk-in cooler HVAC unit.	1 WEEK
245		X		Observed damp wiping rags allowed to dry/outside of sanitizer solution. (If using spray bottles, switch to disposable rags as cloth rags are meant for sanitizer buckets or must still be considered one time use)	CORRECTED
291		X		Observed multiple gallons of bleach in storage closet, but no bleach test strips available for testing sanitizer concentration.	1 WEEK

Summary of Violations C 0 NC 3 R 0

Received by (name and title printed): CHANDLER CISSEL	Inspected by (name and title printed): A.J. Ingram CHIEF FOOD SPECIALIST
Received by (signature):	Inspected by (signature): 
cc:	cc: